

UPDATED LIST

niagara
framework®

Compatible Drivers & Applications

NIAGARA COMMUNITY HAS A DRIVER FOR EVERY NEED

Niagara Framework® offers an open platform that developers all over the world are utilizing to create solutions to real-world problems. This fast growing collection of drivers is unmatched in the industry. In many cases, the right driver for your integration work is available off-the-shelf from one of our development partners. This document strives to list all drivers available for purchase or, in some cases, for free at the current time. Note that Tridium has not tested all listed drivers and does not certify conformance. We have compiled this list as a convenience to our customers and, as new offerings are introduced by Niagara Community developers all the time, it may not be comprehensive. If you don't find the driver or application you are looking for on this list, the openness of the Niagara environment means you can relatively easily develop the solution you need. Moreover, Tridium's developer support team and others in the Niagara Community are here to help.

TRIDIUM

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
Access Control Idemia Driver	This driver enables Idemia access control devices to Integrate with Niagara. Access Allow/Deny can be based on logics built in Niagara	Access Control	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher
Accruent Alarm Driver	Send configured alarms to the accruent server	Any system that generates an Alarm including HVAC, Refrigeration and Lighting	Accruent		IP	JACE	N4
Accruent Configuration Driver	To clone the JACE device to the Accruent system for mapping telemetry data values	Any System that needs a collection of Telemetry data or changing values on a JACE	Accruent	N/A	IP	JACE	N4
Accruent IOT Driver	Works with the Accruent Configuration Driver to change the values on a JACE from the Accruent System	Any System that needs values changed for a period of time including Turning on/off Lights, Temps on HVAC and Refrigeration Devices Mainly.	Accruent	N/A	IP	JACE	N4
Accruent Telemetry Driver	Transmits telemetry data from interesting points to the Accruent system for further processing and analysis	Any system that can be distilled into operational information using the Accruent rules engine	Accruent	N/A	IP	JACE	N4
Aktion	Bi-directional communication with Access control system	Access Control System	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	JACE or Supervisor	N4.8 and higher
Alarm Console (Enhanced)	Multi Client, Multi Group, Multi Workstation	Building Automation	MaxLine	controlsplus.uk.com	TCP/HTTP/UDP, configurable	JACE and Supervisor	N4.0 and higher
Allen Bradley CIP Driver	Allen Bradley AbLogix5, PLC/ SLC 2 and 5	Building Automation	Infocon/MaxLine	controlsplus.uk.com	Ethernet using , 1756-ENBT/A Ethernet module or 1769-L32E Ethernet port	JACE and Supervisor	N4.0 and higher
Allen Bradley CSPV4 TCP Driver	Allen Bradley	Building Automation	Infocon/MaxLine	controlsplus.uk.com	TCP	JACE and Supervisor	N4.0 and higher
ALVASYS-DR-VKF	VKF/AEAI hail protection Internet connection to the Server weather is needed	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	IP	JACE and Supervisor	N4.7 and higher
American Auto-Matrix PHP	AAM PHP version 8.10	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-232 or RS-485	JACE	N4.0 and higher
American Auto-Matrix PUP	AAM PUP version 8.35	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-232 or RS-485	JACE	N4.0 and higher
Andover AC256	Andover AC256	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-232	JACE	N4.0 and higher
Andover Infinity/ Continuum Driver	Andover Infinty	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-233	JACE	N4.0 and higher
ASI Controls Driver	ASIC 6000, 8055, 8255, 8355, 8655, 8755	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Asset Manager System Driver	Complete ecosystem that takes full care of Asset Management. Maintaining, Tracking, Ticketing, Inventory, Costs and much more.	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	Supervisor	N4.8 and higher
Ateas	Bi-directional communication with NVR	CCTV Surveillance	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	Supervisor	N4.8 and higher
Automated Logic WebCTRL® SOAP Driver	WebCTRL Building Automation System	Building Automation	QuickLink Solutions	qlsol.com	TCP/IP	JACE and Supervisor	N4.4 and higher
BACnet MSTP Driver	BACnet MSTP Devices	Building Automation	Tridium	tridium.com or niagara-central.com	RS-485	JACE	N4.0 and higher
BACnet/IP Driver	BACnet IP Devic- esBACnet Ethernet Devices	Building Automation	Tridium	tridium.com or niagara-central.com	Ethernet IP	JACE and Supervisor	N4.0 and higher
Barber Colman ASD	Barber Colman ASD	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
Barber Colman GCM	Barber Colman GCM	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Beckhoff ADS driver	Data point driver for all Beckhoff PLC	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	IP	JACE and Supervisor	N4.7 and higher
Carel Driver	IR32, MPX, IR33, pCO, pCO II, IOM, EVD	Refrigeration, Air Conditioning	QuickLink Solutions	qlsol.com	Serial RS-485	JACE	N4.4 and higher
CCN Driver	Carrier Comfort Network	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-485	JACE	N4.0 and higher
Clipsal Cbus Driver	Clipsal (now Schneider) Cbus	Building/Lighting	MaxLine	controlsplus.uk.com	Serial and TCP (CNI)	JACE	N4.0 and higher
Clipsal CgateTCP Driver	Clipsal (now Schneider) Cgate TCP	Building Automation	MaxLine	controlsplus.uk.com	TCP	JACE	N4.0 and higher
Cloud APP notification Driver	The O-Connect driver lets you send any Niagara alarms as SMS/APP/WhatsApp notification	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher
CNS-Enocean	EnOcean Wireless Network Devices	Building Automation	Control Network Solutions Ltd.	cns-enocean.com	Ethernet	JACE and Supervisor	N4.0 and higher
CSI Inet driver	CSI TAC I/Net 7801X	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
CSV Mapper	Convert CSV files into Niagara Histories	Building Automation	ActiveLogix	https://www.activelogix.com/ifttt/	IP	Supervisor	N4
CSV/File Driver	CSV/FTP/sFTP/XML	Import/Export CSV, XML, FTP files as points	Kodaro	https://www.kodaro.com/drivers	IP/Ethernet	JACE and Supervisor	N4.0 and higher
Danfoss Danbuss driver for AKC devices	AKC25H1, AKC25H3, AKC114A, AKC115A, EKC201C, EKC531D1, EKC414A1, EKC204A	Refrigeration	QuickLink Solutions	qlsol.com	Serial RS-232 through AKA24x gateway	JACE	N4.4 and higher
Danfoss Lon Works driver for EKC devices	EKC series devices	Refrigeration	QuickLink Solutions	qlsol.com	LonWorks through TP78-05 (Network Bridge FTT10-RS485)	JACE	N4.4 and higher
DIRC	DotControls IRC	Home & building automation	SAFECONTROL	www.safecontrol.cz http://license.safecontrol.cz	IP	JACE and Supervisor	N4.4 and higher
Dixell Driver for X-WEB gateway	X-WEB gateway 500	Refrigeration, Air Conditioning	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor (only IP in the same LAN)	N4.4 and higher
Dynalite DyNet Driver	Philips Dynalite distributed intelligence lighting control system.	Building automation. Control and monitoring of blinds/curtains, lighting levels, scenes. DALI input device, driver and lamp status, sensor lux level, HVAC temperature actual and setpoint control.	Philips Dynalite	https://www.dynalite.org	Serial and TCP	JACE	N4 and higher
EasyTunnel	Create a secure tunneling between JACEs and Web Supervisor without a static IP address in the JACE	Building Automation	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor	N4.4 and higher
Echo Driver	Enables Amazon Echo Devices to control Niagara based systems.	Building automation, Lighting and environmental control, hvac, residential appliances, voice control, room control	Tyrell Products Ltd	www.tyrellproducts.com	IP	Jace and Supervisor	N4.3
EIB/KNX Driver	EIBNET/IP Devices	Building Automation	Tridium	tridium.com or niagara-central.com	IP	JACE and Supervisor	N4.0 and higher

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
elitedali™	elitedali™ Multidrop for Niagara, is an interface module which transforms any controller running Niagara Software Framework into a smart IoT convergent lighting commissioning and control product.	Seamless DALI integration with N4 for Intelligent Lighting Controls	Leap Info Systems Pvt. Ltd.	https://elitedali.com OR https://www.niagara-community.com/asb_ListingDetail?listingId=a0n4G00000KgpO5QAJ&appType=Product	DALI	JACE and Supervisor	N.4.0 and higher
eliteNotify	eliteNotify for Niagara is a driver that enables Niagara Alarm portal notifications to be sent from any controllers or PC running Niagara Software without needing any hardware gateway or GPRS SIM	Niagara Alarm Notifications via WhatsApp	Leap Info Systems Pvt. Ltd.	https://elitedali.com OR https://www.niagara-community.com/asb_ListingDetail?listingId=a0n4G00000PBrBCQA1&appType=Product	IP	JACE and Supervisor	N4.3 and higher
Emerson Climate Communication Driver for Multiflex I/O Boards	Emerson Multiflex I/O	Building Automation	QuickLink Solutions	qlsol.com	Optional card or external RS-485 or IP interface	JACE all series	N4.4 and higher
Emerson Cpc Einstein	Emerson Cpc Einstein E1 and E2 controller - BX (HVAC) - CX (Convenience stores) - RX (Refrigeration)	Building Automation	QuickLink Solutions	qlsol.com	IP	JACE all series	N4.4 and higher
Energy Star Driver	Access and Display Building Metrics from Portfolio Manager	Building Automation	ActiveLogix	https://www.activelogix.com/ifttt/	IP	Supervisor	N4
Espa-X driver	ESPA-X driver for TCP/IP (send and acknowledge alarms)	Any Application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	IP	JACE and Supervisor	N4.7 and higher
ESSER	Esser IQ8Control & FlexES	Fire & Security	SAFECONTROL	www.safecontrol.cz http://license.safecontrol.cz	RS232/IP	JACE and Supervisor	N4.4 and higher
Facilio IoT Edge	Enables N4 supervisor/ JACE 8000 to connect, acquire, and stream performance data in real-time from dispersed building systems controllers to Facilio data platform. Directs cloud-based commands to system controllers	Any system that needs to respond to events and stay operational in real-time, automate trigger based function using Facilio's AI driven models.	Facilio Inc.	https://facilio.com/iot-edge getsmart@facilio.com	MQTT over Internet	JACE and Supervisor	N4.3 and higher
FLEX Serial Driver	Simple Serial communicating devices	Generic	Tridium	tridium.com or niagara-central.com	Serial RS-232 or RS-485	JACE	N4.0 and higher
Galaxy	Bi-directional communication with security panel	Security System	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	JACE or Supervisor	N4.8 and higher
GCMAscend	Barber Colman GCM Network Controller Driver	Building Automation	Kodaro	http://www.kodaro.com/products/driver-software.html			N4 (4.2.36.34.1)
Haystack+	Haystack can migrate building analytics data to Niagara	Building Automation	Kodaro	http://www.kodaro.com/products/driver-software.html			N4 V1.0.17.8 V1.0.17.1
HID Asure ID Driver	PC running Asure ID software	Photo ID/Badging Software	Tridium	tridium.com or niagara-central.com	IP	Enterprise Security Supervisor	Enterprise Security 2.2
Honeywell C-Bus Connectivity Kit	Allows integration of Honeywell C-Bus into Niagara	Building Automation	Neopsis GmbH	http://www.neopsis.com	IP, serial RS-485	JACE and Supervisor	N4.7 and higher
Honeywell Cbus TCP Driver	Honeywell Cbus bus driver (hardware + software solution)	Building Automation	MaxLine	controlsplus.uk.com	TCP link to MIG112	JACE and Supervisor	N4.0 and higher

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
Honeywell Galaxy Driver	Honeywell Galaxy Dimension security panels	Security and Access Control	QuickLink Solutions	qlsol.com	Serial RS-232 or IP	JACE and +E10+G10	N4.4 and higher
HTTP Client	HTTP Client Driver for all Niagara Platforms	Any application	Tridium	tridium.com or niagara-central.com	TCP/IP	JACE and Supervisor	Niagara 4.12 and higher
IFTTT Driver	Connects Niagara 4 to Alexa	Comfort Control	ActiveLogix	https://www.activelogix.com/ifttt/	IP	JACE and Supervisor	N4.4 and higher
ILON Driver	Lonworks IP Devices	Building Automation	Tridium	tridium.com or niagara-central.com	IP	JACE and Supervisor	N4.0 and higher
iNELS ASCII	iNels wired system	Home & building automation	SAFECONTROL	www.safecontrol.cz http://license.safecontrol.cz	IP	JACE and SUPERVISOR	N4.4 and higher
INNCOM	CINnet	Hotel Control	Fastek	www.fastekintl.ca/	RS-485		
Invoconics	Invoconics wireless Devices	Building Automation	Kodaro	http://www.kodaro.com/products/driver-software.html	Serial	JACE	N4 V1.0.17.8 V1.0.17.1
Johnson N2 Open driver	Johnson N2 devices, VMA, VND and others	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Johnson N2 Slave TCP Driver - JACE as VND	JACE acts as Johnson device on N2 network - TCP to serial converter (MIG112) incl. in price	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Josam Grease Trap Driver	Josam EGLD series	Food Preparation	Tridium	tridium.com or niagara-central.com	Serial RS-232	JACE	
LON FTT10 Driver	Lonworks FTT10 Devices	Building Automation	Tridium	tridium.com or niagara-central.com	FTT10	JACE	N4.0 and higher
LoRA WAN integration Driver	Driver for LoRa WAN gateways to bring data into Niagara	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher
MadMax	Integrate Niagara with IBM Maximo	Any application	MadMax IoT, LLC.	https://madmaxiot.com/	IP	JACE or Supervisor	N4.0 and higher
M-Bus Driver	M-Bus Master Devices	Building Automation/ Energy	Tridium	tridium.com or niagara-central.com	Serial RS-232	JACE	N4.0 and higher
Milestone VMS integration Driver	This driver enable Milestone Video feed in O-Insights Alarm console and Workspace	CCTV Surveillance	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher
Modbus IP Driver	Modbus IP Devices	Building Automation, Metering etc.	Forest Rock Systems Ltd	forestrocks.co.uk	IP	JACE	
Modbus RTU Driver	Modbus RTU Devices	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-232 or RS-485	JACE	N4.0 and higher
Modbus RTU Slave Driver	Enables JACE to function as a Modbus RTU Slave Device	Building Automation	Tridium	tridium.com or niagara-central.com	Serial RS-232 or RS-485	JACE	N4.0 and higher
Modbus TCP Driver	Modbus TCP Devices	Building Automation	Tridium	tridium.com or niagara-central.com	TCP-IP	JACE and Supervisor	N4.0 and higher
Modbus TCP Slave Driver	Enables Station to function as a Modbus TCP Slave Device	Building Automation	Tridium	tridium.com or niagara-central.com	TCP-IP	JACE and Supervisor	N4.0 and higher
MQTT Client	MQTT client driver	Enterprise Integration	Tridium	tridium.com or niagara-central.com	IP	JACE and Supervisor	N4.2 and higher
Notifier AM series CEI-ABI driver for Italian Market	Notifier AM-2000, AM-4000, AM-6000, AM-8000	Fire Detection	QuickLink Solutions	qlsol.com	Serial RS-485 or IP through	JACE or Supervisor (only IP in the same LAN)	N4.4 and higher
Novar Driver	Novar UVC-03 and UVC-11	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
nProtex	Elevates Awareness of Niagara Security	Building Automation	ActiveLogix	https://www.activelogix.com/ifttt/	IP	Supervisor	N4
OAS-BACNETUTIL_UNL	Export Niagara points to BACnet using a GUI. Select which Niagara point types should be exported as which BACnet type and define the priorities to be exported.	Building Automation	OAS Open AutomationSystem GmbH	www.niagaramarketplace.com/oas-bacnet-utilities.html sales@oa-systems.de	Serial/IP	JACE	N4.4 and higher


Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
OAS-BASICFUNCTIONS	OAS BasicFunctions - module provides general function blocks like SR-flip-flop (latch), flank detection or step controller. Contains function blocks for programming of HVAC plants.	Building Automation	OAS Open AutomationSystem GmbH	www.niagaramarketplace.com/oas-basic-functions.html sales@oa-systems.de		JACE and Supervisor	N4.8, 4.10
OAS-GRAPHIC-LIBRARY	OAS GraphicLibrary - standardized and configurable graphics and widgets from building services engineering and HVAC-Plants. Use oasGraphicLibrary with oasSupervisorUtilities create supervisor applications.	Building Automation	OAS Open AutomationSystem GmbH	https://www.niagaramarketplace.com/preview/catalog/view/id/3716/sales@oa-systems.de		JACE and Supervisor	N4.10
OAS-MACs	OAS Niagara Plant and Function Macros. Predesigned N4 software modules used for building services applications with N4 controllers.	Building Automation	OAS Open AutomationSystem GmbH	www.openautomationsystems.store/en/products/oas-niagara-plant-macros sales@oa-systems.de		JACE	N4.10
OAS-MMETERDIS	OAS Modbus Meter driver for discovery of PM5563, PM820, MULTICAL630 meters (extensible). Available for 1, 5, 10 and 12 Devices	Energy Management	OAS Open AutomationSystem GmbH	www.niagaramarketplace.com/preview/catalog/view/id/3632/sales@oa-systems.de	Serial	JACE	N4.10 and higher
OAS-MODBUSUTILS-16	OAS web-based module configurator for integration of up to 16 OAS I/O Modbus fieldbus modules. Configure inputs and outputs of the module using the web based GUI and retrieve data from the modules.	Building Automation	OAS Open AutomationSystem GmbH	https://www.openautomationsystems.store/en/products/sbs-iom-i/o-fieldbus-modules sales@oa-systems.de	Serial	JACE	N4.8 and higher
OAS-OPCUTIL	Integrate OPC-DA data with N4. Discover and export Niagara points to the ProSystems-OPC-DA-Server and integrate it with existing OPC-DA network. Available for 500, 1000, 5000, 10000 and 20000 points.	Building Automation	OAS Open AutomationSystem GmbH	www.niagaramarketplace.com/preview/catalog/view/id/3653/sales@oa-systems.de	IP	JACE and Supervisor	N4.8 and higher
OAS-SMARTROOMUTILS	OAS smartroomUtils - enables access of sensor data as well as configuration and control of the actuators.	Room Automation	OAS Open AutomationSystem GmbH	www.niagaramarketplace.com/preview/catalog/view/id/3689/ www.openautomationsystems.store/en/products/sbs-smart-room-system-automations-system sales@oa-systems.de	IP	JACE	N4.8, 4.10
OAS-SUPUTIL	OAS Niagara 4 Supervisor Utilities for creation of bespoke supervisor application using data from Niagara controller. Available for 1, 10, 100 and unlimited JACE controllers.	Building Automation, BMS, Graphics, Web Tools, Navigation	OAS Open AutomationSystem GmbH	www.niagaramarketplace.com/preview/catalog/view/id/3680/ www.openautomationsystems.store/en/products/oas-supervisor-utilities-application sales@oa-systems.de		JACE and Supervisor	N4.8, 4.10
oBIX Driver	oBIX servers	Enterprise Integration	Tridium	tridium.com or niagara-central.com	TCP-IP	JACE and Supervisor	N4.0 and higher

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
O-Insights-Advanced Reporting Driver	Completely automated Reporting Engine that handles any complex reports. Support scheduling, auto emailing and customization of reports. This application is suitable for Pharmaceutical (21 CFR) and Data centres	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	Supervisor	N4.8 and higher
O-Insights-Alarm Console Advanced Driver	O-Insights Alarm solution elevates the user experience by delivering on-the-fly alarm analytics, including alarm count, duration, and reason along with escalation levels, user notification, raising tickets, and much more. This application is suitable for Pharmaceutical and Data centres	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	Supervisor	N4.8 and higher
O-Insights-Workspace Driver	Workspaces for KPIs and Actionable insights, and Trends to power assets, equipment, and systems.	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	Supervisor	N4.8 and higher
OPC- DA Client Driver	Servers implementing OPC Data Access Specifications 1.x-2.x	Building Automation	Tridium	tridium.com or niagara-central.com	IP	Supervisor (Windows only)	N4.0 and higher
OPC UA Client	OPC UA Client	Industrial Automation	Tridium	tridium.com or niagara-central.com	IP	JACE and Supervisor	N4.3 and higher
OPC UA Server	OPC UA Server	Industrial Automation	Tridium	tridium.com or niagara-central.com	IP	JACE and Supervisor	N4.3 and higher
Otis	Control of Destination Dispatching System	Elevator Control	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	JACE or Supervisor	N4.8 and higher
Fagerhult Organic response	Bi-directional communication via OR cloud API	Lighting Control	SAFECONTROL s.r.o.	fagerhult.com	IP	JACE or Supervisor	N4.8 and higher
People Counting Driver	Integration with Delopt people counting sensors	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher
PostgreSQL Database Driver	PostgreSQL database 8.4, 9.0 and 9.1	Generic	QuickLink Solutions	qlsol.com	JDBC	Supervisor	N4.4 and higher
Profinet Driver	PLC Siemens S7 series control devices	Industrial Automation	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor	N4.4 and higher
PRWS for Alarms Driver	PRWS is a software that allows e-signing of reports with workflows. This driver for Niagara allows reports from Niagara to be integrated to the PRWS software. PRWS is a 21 CFR compliant software suitable for regulated environments such as Pharmaceuticals	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	Supervisor	N4.8 and higher
RDBMS - MySQL	Relational DataBase Management Systems	MySQL	Tridium	tridium.com or niagara-central.com	IP	Supervisor	N4.0 and higher
RDBMS - Oracle	Relational DataBase Management Systems	Oracle	Tridium	tridium.com or niagara-central.com	IP	Supervisor	N4.0 and higher

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
RDBMS - SQL Server	Relational DataBase Management Systems	SQLServer	Tridium	tridium.com or niagara-central.com	IP	Supervisor	N4.0 and higher
Robertshaw DMS Driver	Robertshaw DMS	Building Automation	MaxLine	Local MaxLine Distributor	Serial	JACE	N4.0 and higher
Robertshaw Microsmart TCP Driver	Robertshaw Microsmart 9.4C and above TCP to serial converter (MIG112) incl. in price	Building Automation	MaxLine	controlsplus.uk.com	TCP link to MIG112 then Serial RS485 Microsmart	JACE	N4.0 and higher
Rotronic Hydroflex Driver	Hydroflex Series	Building Automation	Baudrate	https://baudrate.io/	RS-485 or TCP/IP	JACE	N4
S7	Bi-directional communication via Siemens proprietary protocol	Industrial Automation	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	JACE or Supervisor	N4.8 and higher
SAFE CSV	Hotel system Horec	Hotel booking and room management	SAFECONTROL	www.safecontrol.cz http://license.safecontrol.cz	IP	JACE and SUPERVISOR	N4.4 and higher
SAFE SMS	Secomea Site Manager	Industrial Automation	SAFECONTROL	www.safecontrol.cz http://license.safecontrol.cz	IP	JACE and SUPERVISOR	N4.4 and higher
SAIA S-Bus driver	Data point driver for all SBC PLC	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	IP	JACE and Supervisor	N4.7 and higher
Satchwell SNP	MMC 3601, MMC 4601, IAC 200, IAC 400, IAC 420, AC 600	Building Management Retrofit	Baudrate	https://baudrate.io/	Serial RS-485	JACE	
Sauter novaNet Driver	Sauter EY292 Router, Sauter EY291	Building Automation	Baudrate	https://baudrate.io/	Serial, IP	JACE and Supervisor	N4
Schneider Electric OVA Dardo Driver	Schneider OVA Dardo Plus Control Units	Emergency Lighting	QuickLink Solutions	qlsol.com	Serial RS-485	JACE	N4.4 and higher
Siemens Apogee 600 TEC Driver	Siemens 600 FLN compatible devices	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Siemens Desigo PX Driver	Siemens Desigo PX Controllers	Building Automation	QuickLink Solutions	qlsol.com	LON - It needs EM-8000-LON interface	JACE	N4.4 and higher
SMS Driver	Send JACE & Supervisor SMS messages via GPRS or GSM modem	Building Automation	Tridium	tridium.com or niagara-central.com	GPRS or GSM Modem	JACE and Supervisor	N4.0 and higher
SMS Driver for Multirecipient, Multi-Group SMS	Axeon GSM, C35i GSM or similar	Building Automation	MaxLine	controlsplus.uk.com	Serial/TCP	JACE and Supervisor	N4.0 and higher
SMS/ EMAIL/ Call Driver	The O-Connect can send any Niagara alarms as SMS/ EMAIL/CALL/APP notification via the O-Connect notification IP gateway device	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher
SNMP Driver	SNMP Devices (SNMPv1, SNMPv2 and SNMPv3)	Building Automation	Tridium	tridium.com or niagara-central.com	IP	JACE and Supervisor	N4.2 and higher
SOAP Client	SOAP 1.2 configurable client able to import external services into the Niagara Framework®	Building Automation	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor	N4.4 and higher
SOAP Server	SOAP 1.2 configurable service able to export points, alarms schedules and histories	Building Automation	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor	N4.4 and higher
SQL	Bi-directional communication with SQL database	Database	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	JACE or Supervisor	N4.8 and higher

Driver Name	System Detail	Type of System	Developer	For More Information	Connection Type	Niagara Platform	Niagara Version
SSI-DR-AKSC	Integration for the data points over IP the Danfoss AK255 Network	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	IP	JACE and Supervisor	N4.7 and higher
SSI-DR-AKSER	Integration for the data points over IP the Danfoss AK255 Network	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	Serial	JACE	N4.7 and higher
SSI-DR-DANLON	Integration for the data points over LON the Danfoss Network	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	LON	JACE	N4.7 and higher
SSI-DR-SMSIP	SMS driver for TCP/IP for Teltonika router (send and acknowledge alarms)	Any application	Alvasys Automation AG	www.alvasys.ch info@alvasys.ch +41 44 261 00 70	IP	JACE and Supervisor	N4.7 and higher
Staefa Smart 2 Driver	Staefa Smart 2 Driver, AETI-485 converter to purchase separately	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Symetrix	Monitoring and control of audio system via Composer control protocol	Audio Control	SAFECONTROL s.r.o.	www.safecontrol.cz safecontrol@safecontrol.cz	IP	JACE or Supervisor	N4.8 and higher
TAP Pager Driver	TAP (Telocator Alphanumeric Protocol) pagers	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
TCOM Driver	EasyIO Controllers	Building Automation	MaxLine	controlsplus.uk.com	TCP	JACE and Supervisor	N4.0 and higher
Tecnoalarm driver	TP8-64 BUS, TP16-256, TP16-512	Intrusion Detection	QuickLink Solutions	qlsol.com	Serial	JACE	N4.4 and higher
Telegram Client	Telegram	Social Media client interface	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor	N4.4 and higher
Tenant Billing Driver	Tenant Billing with Automated Monitoring, Dashboarding, Billing and Emailing	Building Automation	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	Supervisor	N4.8 and higher
Trane Comm3 Non-isolated Driver	Trane Comm Three Varitrane VAV	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Trane Comm4 Driver (Isolated)	Trane Comm Four devices	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE	N4.0 and higher
Trend IQ2 serial Driver	Trend IQ2 serial devices	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE and Supervisor	N4.0 and higher
Trend IQ3 TCP Universal Driver - all IQ3 networks including tunneling (replaces older EINC and IQ3 drivers)	IQ 3Xcte, IQ 3Xtend, IQ EINC and networked IQ2xx, IQ3xx, IQ4xx and IQL	Building Automation	MaxLine	controlsplus.uk.com	Serial	JACE and Supervisor	N4.0 and higher
Trend IQx Driver	Trend IQ Controller IQeco, IQ1, IQ2, IQ3, and IQ4	Building Automation	QuickLink Solutions	qlsol.com	TCP/IP protocol (EIN, IQ3, IQ4)	JACE and Supervisor	N4.4 and higher
Twitter client	Twitter	Social Media client interface	QuickLink Solutions	qlsol.com	IP	JACE and Supervisor	N4.4 and higher
VISAPP	DotControls HVAC control	Home & building automation	SAFECONTROL	www.safecontrol.cz http://license.safecontrol.cz	IP	JACE and SUPERVISOR	N4.4 and higher
Workplace Locatee Driver	The Locatee driver connects to the Locatee workplace analytics application and brings in the occupancy data into Niagara	Occupancy	Conexao Technology Solutions Pvt. Ltd.	https://conexaotechsolutions.com/drivers/	IP	JACE and Supervisor	N4.8 and higher

Enterprise Application / Integration Architecture Powered by Niagara 4



powered by
niagara
 framework®

Niagara Framework is available through a wide variety of original equipment manufacturers. Our open distribution business model and open protocol support allow a vendor-neutral application compatible with devices and systems throughout the world.

To learn more about how to purchase and install Niagara Framework, or if you are an original equipment manufacturer and would like to add Niagara Framework to your suite of offerings, please contact us.



tridium.com

Locations and customer support, worldwide

Headquarters
 North America
 1 804 747 4771

Support
 North America & Latin America
 1 877 305 1745

Europe, Middle East & Africa
 44 1403 740290

Asia Pacific
 86 400 818 6088

© 2023 Tridium Inc. All rights reserved. All other trademarks and registered trademarks are properties of their respective owners.

Information and/or specifications published here are current as of the date of publication of this document. Tridium, Inc. reserves the right to change or modify specifications without prior notice. The latest product specifications can be found by contacting our corporate headquarters, Richmond, Virginia. Products or features contained herein may be covered by one or more U.S. or foreign patents. This document may be copied only as expressly authorized by Tridium in writing. It may not otherwise, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form.