

FIRMWARE VERSION 2.1.1

26.06.2018

The list below contains modifications and new features since the release of firmware ver. 2.1.0:

Name	Description
Firmware version 2.1.1 Release date 26.06.2018	Fixed bugs: <ul style="list-style-type: none">• Fixed bug with main menu blocking error when the lowest priority was given to the variable with numeric type

FIRMWARE VERSION 2.1.0

14.06.2018

The list below contains modifications and new features since the release of firmware ver. 2.0.18:

Name	Description
Firmware version 2.1.0 Release date 14.06.2018	Fixed bugs: <ul style="list-style-type: none"> • Fixed bug with temperature measurement error

FIRMWARE VERSION 2.0.18

31.01.2018

The list below contains modifications and new features since the release of firmware ver. 2.0.17:

Name	Description
Firmware version 2.0.18 Release date 31.01.2018	Improvements: <ul style="list-style-type: none"> • Improved firmware to increased range of LCD test for pin 4 Fixed bugs: <ul style="list-style-type: none"> • Fixed bug with LCD test error; • Fixed bug with component BV11

FIRMWARE VERSION 2.0.17

31.08.2017

The list below contains modifications and new features since the release of firmware ver. 1.0.18:

Name	Description
<p>Firmware version 2.0.17</p> <p>Release date 31.08.2017</p>	<p>New functions:</p> <ul style="list-style-type: none"> • BACnet protocol support; • Added information about Hardware Version <ul style="list-style-type: none"> - HW_VERSION (Modbus register 3031, BACnet Device Object property 3020) • Added information about CO2 Alarm Status <ul style="list-style-type: none"> - CO2_ALARM_STATUS (Modbus register 30230, BACnet Binary Input Objects no 0 and 1) <p>Improvements:</p> <ul style="list-style-type: none"> • Improved CO2 alarm functionality – possibility of confirmation the alarm and activation alarm indications (Flashing LCD, Buzzer, Show HIGH) locally from the Panel; • Improved flashing of the 'Occupied' icon with a synchronization to flashing of the Fan Icons group; • Improved CO2_SENSOR_OFFSET values, now without decimal place, the default value is 10; • Improved TEMPERATURE_SENSOR_OFFSET values, now negative values are possible; • Improved parameters are written down to the EEPROM every 2 seconds (240 seconds before); <p>Fixed bugs:</p> <ul style="list-style-type: none"> • Fixed parameters displaying order after re-entering the submenu; • Fixed displaying AM and PM icons in 12h time display mode; • Fixed conversion between temperature units – °C and °F; • Fixed reading of Modbus register values after startup or restart;

FIRMWARE VERSION 1.0.18

21.02.2017

The list below contains modifications and new features since the release of firmware ver. 1.0.17:

Name	Description
<p>Firmware version 1.0.18</p> <p>Release date 21.02.2017</p>	<p>New functions:</p> <ul style="list-style-type: none"> • Added SubmenulconDisplayOFF bit in DeviceConfiguration register to disable Submenu Icons displaying; <p>Improvements:</p> <ul style="list-style-type: none"> • Improved displaying numbers – added digit „0” before the first dot; <p>Fixed bugs:</p> <ul style="list-style-type: none"> • Fixed bug with displaying negative values in submenus and Main menu; • Fixed bug with displaying boolean values in submenus and Main menu; • Fixed bug with displaying units and dots in submenus in the case when Numeric and Boolean type values were together inside the same submenu; • Fixed bug with displaying default password when the new password was entered; • Fixed bug with displaying occupancy icon when the register OccupancyCurrentStatus value equals 3; • Fixed bug with transition between submenus when one of them was protected by password; • Fixed bug with SubmenulconFlashing register;

FIRMWARE VERSION 1.0.17

29.11.2016

Name	Description
<p>Firmware version 1.0.17</p> <p>Release date 29.11.2016</p>	<ul style="list-style-type: none"> • First release